

The GB100 series includes two models of insurance telematics devices allowing varying levels of sample frequency and support for Bluetooth. The devices are simply mounted to the vehicle's battery, allowing either a very low cost installation or for the insurance customer to self-fit.



GB100 Series Models

| | Region | Operating Band | GNSS Type | Accelerometer | Gyroscope | Bluetooth | Certificate |
|--------|-----------|-------------------------------|------------------------------------|---|------------------------------|---------------------|-------------|
| GB100 | Worldwide | GSM 850/900/ 1800/1900 MHz | u-blox All-in-One GNSS receiver | Internal 3-axis accelerometer 100 Hz | N/A | N/A | CE/E-Mark |
| GB100P | Worldwide | GSM 850/900/ 1800/1900 MHz | u-blox All-in-One GNSS receiver | Internal 3-axis accelerometer 1600 Hz | Internal MEMS gyro-sensor | BLE 4.2 protocol | CE/E-Mark |

Installation Guide



Interfaces

| GSM Antenna | Internal only |
|----------------------------|----------------|
| GNSS Antenna | Internal only |
| Bluetooth Antenna (GB100P) | Internal only |
| LED Indicators | GSM, GNSS, PWR |

Air Interface Protocol

| external power and backup battery status |
|--|
| external power and backup battery status |
| |
| and status based on preset time intervals, distance, mileage or a hese settings |
| n and parking alarm based on up to 20 preset geo-fence regions |
| alarm via flexible monitoring of speed |
| ing behavior detection, including harsh braking, acceleration, etc. |
| lata nagkat while vehicle is in motion |
| data packet while vehicle is in motion |
| 1 |

Accessories





WKF300 (FOR GB100P)

BLE key fob for continuously detecting the on-board status of the device

GB100_Download_Kit

For GB100 upgrading and debugging Part list: GB100 Download Jig DB9 USB to serial port cable



ЛЁГКОСТЬ, ЭФФЕКТИВНОСТЬ, СОВЕРШЕНСТВО

СЕТЕВЫЕ РЕШЕНИЯ В СФЕР ИНТЕРНЕТА ВЕЩЕЙ (IoT)

